



Applicants : Jason Francis Conaty et al.  
 Serial No. : 09/887,880  
 Filed : June 22, 2001  
 Page 2

### In the Claims

Please amend claims 1-17 and 31-36 by replacing all prior versions of the claims pursuant to 37 C.F.R. §1.121 as modified by 68 Fed. Reg. 38611 (June 30, 2003) as indicated below.

1. (Currently Amended) A ~~compound~~ miniribozyme of the formula IA or IB:



wherein each X represents a nucleotide which may be the same or different and may be substituted or modified in its sugar, base or phosphate; and wherein  $G_{10,1}$  and  $C_{11,1}$  each represent a nucleotide which may be substituted or modified in its sugar (which may be ribose or deoxyribose), base or phosphate;

wherein each of C, G, A and U represents a ribonucleotide which may be substituted or modified in its sugar, base or phosphate;

Applicants : Jason Francis Conaty et al.  
Serial No. : 09/887,880  
Filed : June 22, 2001  
Page 3

wherein each of  $(X)_n$ ,  $(X)_{n-1}-A$  and  $(X)_n$  represents an oligonucleotide having a pre-determined sequence which hybridizes with an RNA target sequence to be cleaved, such RNA target sequence not being present within the compound, and each of  $n$  and  $n'$  represents an integer which defines the number of nucleotides in the oligonucleotide;

wherein  $X'$  represents a ribonucleotide selected from C, G, A and U which may be substituted or modified in its sugar, base or phosphate;

wherein  $a$  defines the number of nucleotides in  $(X)_a$  and may be 0 or 1 and if 0, the A located 5' of  $(X)_a$  is bonded to the G located 3' of  $(X)_a$ ;

wherein each solid line represents a chemical linkage providing covalent bonds between the nucleotides located on either side thereof;

wherein each N represents a nucleotide selected from C, G, A and U/T which may be substituted or modified in its sugar (which may be ribose or deoxyribose), base or phosphate and wherein each H represents a nucleotide selected from C, A and U/T, which may be substituted or modified in its sugar (which may be ribose or deoxyribose), base or phosphate; with the proviso that the sequence 5'-NNHH-3' is not UUUU or TTTT, CUCC, AAUU or GGCA.

2. (Currently Amended) A compound miniribozyme of claim 1, wherein in the formula IB the oligonucleotide 3'-(X)<sub>n</sub>- is 3'-(X)<sub>n-1</sub>-A-.
3. (Currently Amended) A compound miniribozyme of claim 1, wherein  $(X)_a$  is absent.
4. (Currently Amended) A compound miniribozyme of claim 1, wherein the sum of  $n+n'$  is greater than 14.

Applicants : Jason Francis Conaty et al.  
Serial No. : 09/887,880  
Filed : June 22, 2001  
Page 4

5. (Currently Amended) A ~~compound~~ miniribozyme of claim 1, wherein the sequence 5'-NNHH-3' is a linker sequence selected from the following classes of linker sequences:  
Class I: YRHH, wherein Y is C or U, R is G or A, and H is C, A or U;  
Class II: DYHH, wherein D is G, A or U, Y is C or U, and H is C, A or U;  
Class III: GHHA, wherein H is C, A or U; and  
Class IV: WYHH, wherein W is A or U, Y is C or U, and H is C, A or U.
6. (Currently Amended) A ~~compound~~ miniribozyme of claim 5, wherein the linker sequence is selected from the sequences CGUU, UGUU and UAAC.
7. (Currently Amended) A ~~compound~~ miniribozyme of claim 5, wherein the linker sequence is a sequence of the class WYHH, wherein W is A or U, Y is C or U, and H is C, A or U.
8. (Currently Amended) A ~~compound~~ miniribozyme of claim 7, wherein the linker sequence is selected from the sequences ACCC, AUUU, UCCC, AUUC, AUUA, ACAC, AUAA and AUAC.
9. (Currently Amended) A ~~compound~~ miniribozyme of claim 7, wherein the linker sequence is the sequence UHHH, wherein H is C, A or U.
10. (Currently Amended) A ~~compound~~ miniribozyme of claim 9, wherein the linker sequence is selected from the sequences UUAC, UUCC, UUUC, UUUU, UUAU and UUAU.

Applicants : Jason Francis Conaty et al.  
Serial No. : 09/887,880  
Filed : June 22, 2001  
Page 5

11. (Currently Amended) A ~~compound~~ miniribozyme of claim 5, wherein the linker sequence is selected from the sequences GUAA and GAUA.
12. (Currently Amended) A ~~compound~~ miniribozyme of claim 1, wherein the sequence 5'-HNHHH-3' in the ~~compound~~ miniribozyme of formula IB is selected from the sequences UCCCA, UCCCC, UCCUA, AAUUU, UAAAA, UUUUA, UGUCC, UGUUA and CACCC.
13. (Currently Amended) A ~~compound~~ miniribozyme of claim 12, wherein the sequence 5'-HNHHH-3' in the ~~compound~~ miniribozyme of formula IB is selected from the sequences UCCCC, UGUCC and CACCC.
14. (Currently Amended) A ~~compound~~ miniribozyme of claim 1, wherein each nucleotide in the linker sequence 5'-NNHH-3' or the linker sequence 5'-HNHHH-3' is a deoxyribonucleotide.
15. (Currently Amended) A composition which comprises a ~~compound~~ the miniribozyme of claim 1 in association with an acceptable carrier.
16. (Currently Amended) A composition which comprises a ~~compound~~ the miniribozyme of claim 5 in association with an acceptable carrier.
17. (Currently Amended) An oligonucleotide transfer vector containing a nucleotide sequence which on transcription gives rise to the ~~compound~~ miniribozyme of claim 1 or claim 5.

Applicants : Jason Francis Conaty et al.  
Serial No. : 09/887,880  
Filed : June 22, 2001  
Page 6

18. (Original) The oligonucleotide transfer vector of claim 17, wherein the transfer vector is a bacterial plasmid, a bacteriophage DNA, a cosmid, or an eukaryotic viral DNA.
19. (Original) The oligonucleotide transfer vector of claim 17, wherein the oligonucleotide transfer vector is a plant DNA virus, a geminivirus or an infective phage particle.
20. (Original) The oligonucleotide transfer vector of claim 17, wherein the oligonucleotide transfer vector is packaged and contains the promoter sequences for RNA polymerase II or RNA polymerase III.
21. (Previously presented) A host cell transformed *in vitro* by the transfer vector of claim 17.
22. (Original) The host cell of claim 21, wherein the host cell is a prokaryotic host cell or an eukaryotic host cell.
23. (Original) The prokaryotic host cell of claim 22, wherein the prokaryotic host cell is an *E.coli* host cell.
24. (Original) The eukaryotic host cell of claim 22, wherein the eukaryotic host cell is a monkey COS host cell, a Chinese hamster ovary host cell, a mammalian host cell or a plant host cell.
- 25-30. (Canceled)
31. (Currently Amended) A method of cleaving a target mRNA in a host cell *in vitro* which comprises administering to the host cell an effective amount of ~~a~~ compound the miniribozyme of claim 1 or claim 5, or a transfer vector


Applicants : Jason Francis Conaty et al.  
Serial No. : 09/887,880  
Filed : June 22, 2001  
Page 7

which on transcription expresses a ~~compound~~ the miniribozyme of claim 1 or claim 5.

32. (Currently Amended) A ~~compound~~ miniribozyme of claim 1 or claim 5 which further comprises an antisense nucleic acid which hybridizes with an RNA target sequence.
33. (Currently Amended) A ~~compound~~ miniribozyme of claim 1 or claim 5 which further comprises at least one additional non-naturally occurring oligonucleotide compound which comprises nucleotides whose sequence defines a conserved catalytic region and nucleotides whose sequence hybridizes with a predetermined target sequence.
34. (Currently Amended) A ~~compound~~ miniribozyme of claim 33, wherein the additional non-naturally occurring oligonucleotide compound is a hammerhead ribozyme, a miniribozyme, a hairpin ribozyme, a hepatitis delta ribozyme, an RNAase P ribozyme, a Group I intron, or a combination thereof.

Applicants : Jason Francis Conaty et al.  
Serial No. : 09/887,880  
Filed : June 22, 2001  
Page 8

35. (Currently Amended) A compound miniribozyme of claim 1 having the formula:



36. (Currently Amended) A ~~compound~~ miniribozyme of claim 1 having the formula:

